INDEX TO VOLUME VII

Page numbers preceded by "(P)" refer to the summaries of papers read at the General Meetings of the Association of Clinical Pathologists.

A

Acid and alkaline phosphatase activity, determination with A.A.P., 245
ACKROYD, J. F.: Interchangeable throttling device for pipettes, 348
ADAMS, G. C.: Technique for measurement of erythrocyte diameters, 76
Agar diffusion and replica plating techniques, combined, 37
Albumin, plasma, determination of, 336
ALEXANDER, W. D., *see* HUTCHISON, H. E., LOWTHER, C. P., and ALEXANDER, W. D.
Alkali-resistant haemoglobin in normal Greek children, 209
Amino-acids in urine, quantitative determination in conjunction with one-dimensional paper chromatography, 79
Amino-antipyrine, determination of hydrolysed phenol with, 322
4-aminoantipyrine, determination of serum acid and alkaline phosphatase activity with, 245
Amyloid disease, protein and protein-bound polysaccharide abnormalities in, (P) 172
Anaemia, haemolytic, specificity of auto-antibodies in acquired, 18
— Mediterranean, and sickle cell trait, double inheritance of, 201
— myelofibrotic, in Hodgkin's disease, (P) 168
Anaerobic cocci, classification and isolation of, 300
ANDERSON, I., *see* HUMBLE, J. G., ANDERSON, I., WHITE, J. C., and FREEMAN, T.
ANDERSON, K.: Strain of streptococcus resistant to five antibiotics, 148
Anorexia nervosa, necropsy findings in, 131
Antibacterial substances, agar diffusion and replica plating techniques in study of, 37
Antibiotic sensitivity of genus *Proteus*, 315
— — tests: rapid method suitable for multiple cultures, 350
Antibiotics, replica plating in study of, 37
— staphylococcus resistant to five, 148
Antibodies, auto-, in acquired haemolytic anaemia, 18
Anticoagulant, circulating, in acquired haemophilia-like disease, 26
Antithrombin test, serum, in fibrocystic disease of pancreas, (P) 168
Argentaffin (Kultschitzky) cells in human gall-bladder, 318
Arrhenoblastomas of ovary, 10
Association of Clinical Pathologists: 52nd General Meeting, 168
— — — — 53rd General Meeting, 352
Auto-antibodies in acquired haemolytic anaemia, specificity of, 18
AWAD, F. I., and LAINSON, R.: Note on the serology of sarcosporidiosis and toxoplasmosis, 152

B

BAAR, H. S.: Pneumocystic carinii in interstitial plasmacellular pneumonia, (P) 169
Bact. coli, streptomycin-dependent variants of, 157
Barbiturate derivatives, identification in blood by paper chromatography, 61
Basophilic stippling in erythrocytes, demonstration of, 75
BASSIOUNI, M.: Estimation of heparin and similar substances in human blood and tissues using a combined biological and colorimetric method with paper electrophoretic studies, 330
BEATTIE, C. P., *see* BEVERLEY, J. K. A., and BEATTIE, C. P.
BEAVEN, G. H., *see* WHITE J. C., and BEAVEN, G. H.
BEESLEY, R., *see* XUEREB, G. P., and BEESLEY, R.
BEVERLEY, J. K. A., and BEATTIE, C. P.: A seasonal incidence of toxoplasma infection?, (P) 174
Bile-aesculin medium in identification of enterococci, 160
BLACKBURN, E. K., and LAJTHA, L. G.: Deficiency theory of blast cell leukaemias, (P) 168
Blast cell leukaemias, deficiency theory of, (P) 168
Blood, capillary, micro-haematocrit for P.C.V. and Hb concentration on, 32
— estimation of butazolidin in, 344
— — — heparin in, 330
— — — vitamin A in, 56
— identification of barbiturate derivatives by paper chromatography, 61
— pyruvic acid levels in congestive heart failure, 116
— count, changes due to radiation, 267
Bone marrow, appearance and significance of tissue mast cells in, 275
— — — of iron administered intravenously in, 281
— — miliary tubercles in, (P) 170
— — punctures, specific findings in Hodgkin's disease, (P) 353
Book Reviews:
Camps, F. E.: *Medical and Scientific Investigation in the Christie Case*, 1953, 358
Davis, L. J., and Brown, A.: *The Megaloblastic Anaemias*, 1953, 85
Dublin, W. B.: *Fundamentals of Neuropathology*, 1954, 355
Florey, Sir H., ed.: *Lectures on General Pathology*, 1954, 266
Hirsch, E. F.: *Pathology in Surgery*, 1953, 357
Homburger, F., and Fishman, W. H., eds.: *The Physiopathology of Cancer*, 1954, 354
Lucas, R. H., and Kramer, I. R. H.: *Bacteriology for Students of Dental Surgery*, 1954, 358
Race, R. R., and Sanger, R.: *Blood Groups in Man*, 2nd ed., 1954, 357
Randall, J. T., and Jackson, S. F., eds.: *Nature and Structure of Collagen*, 1953, 85
Rhodes, A. J., and van Rooyen, C. E.: *Textbook of Virology for Students and Practitioners of Medicine*, 2nd ed., 1953, 356
Roskam, J.: *Arrest of Bleeding*, 358
Soulier, J.-P.: *Traitement des Hémorragies*, 1953, 85
Varley, H.: *Practical Clinical Biochemistry*, 1954, 356
Whitby, Sir L., and Britton, C. J. C.: *Disorders of the Blood*, 7th ed., 1953, 85
Wright, G. P.: *An Introduction to Pathology*, 2nd ed., 1954, 355
Zirkle, R. E., ed.: *Biological Effects of External X and Gamma Radiation*, Part I, 1954, 266
Brain abscess, bacteriology and pathogenesis of, (P) 173
Branding iron for marking histology tissues, 84
British Journal of Haematology, 356
BROCK, R. B., and DARMADY, E. M.: Observations on temperature levels in hot air ovens, (P) 169
— *see also* DARMADY, E. M., and BROCK, R. B.
Bronchiectasis, isolation of *Past. septica*, from sputum in, (P) 173
Butazolidin, estimation of, in blood, 344

C

Calcium, simplified estimation by flame photometry, 110
— tolerance test, (P) 171
CAMPBELL, H., KANE, P. O., MUGGLETON, D. F., and OTTEWILL, I. G.: Studies on excretion of polyvinylpyrrolidone by the normal human kidney, 252
Capillary blood, micro-haematocrit for P.C.V. and Hb concentration on, 32
Carcinoid tumours of gall-bladder, 318
CARDELL, B. S.: Some observations on the pathology of Sjögren's syndrome, (P) 170
Carrier medium in pertussis diagnosis, (P) 174
Cells, malignant, in cerebrospinal fluid, 122
Cerebral mucormycosis, 141
Cerebrospinal fluid, malignant cells in, 122
CHOREMIS, C., ZANNOS, L., and DENDAKI, C.: Alkali-resistant haemoglobin in normal Greek children, 209
CHRISTIE, A. C.: Three cases illustrating the presence of argentaffin (Kultschitzky) cells in the human gall-bladder, 318
Chromatography, paper, identification of barbiturate derivatives in blood by, 61
— — of urinary 17-ketosteroids, (P) 171
— — quantitative determination of amino-acids in urine in conjunction with, 79
Clot culture in typhoid fever, 305
— — streptokinase bile salt, broth for, 50
Coagulase test, slide, fibrinogen and the, 54
Coagulation defect, acquired, in a woman, 22
Cocci, anaerobic, classification and isolation of, 300
COLEMAN, P. N.: Non-syphilitic cold haemoglobinuria without Raynaud's phenomena or cold agglutinins, (P) 353
Colitis, ulcerative, pathology of, (P) 170
Congress of Clinical Pathology, International, 86
— — Neuropathology, Second International, 1955, 358
Conway micro-diffusion cell in estimation of total nitrogen, 81
COTTEWILL, I. G., *see* CAMPBELL, H., KANE, P. O., MUGGLETON, D. F., and COTTEWILL, I. G.
CRAIG, W. S., *see* DAWSON, I. M. P., and CRAIG, W. S.
CRAWFORD, T.: Acute haemorrhagic leucoencephalitis, 1
Creatinine clearance, endogenous, in normal subjects, 327
Cristobalite granuloma, (P) 170

CROME, L.: Structural features of epiloia, with special reference to endocardial fibroelastosis, 137
CUDKOWICZ, L., *see* ELLMAN, P., CUDKOWICZ, L., and ELWOOD, J. S.
CUNLIFFE, A. C.: Epidemiology of *Proteus vulgaris* infections, (P) 173
CUTBUSH, M., *see* DACIE, J. C., and CUTBUSH, M.

D

DACIE, J. V., and CUTBUSH, M.: Specificity of auto-antibodies in acquired haemolytic anaemia, 18
DALY, C., *see* DISCOMBE, G., JONES, R. F., and WINSTANLEY, D. P.
DARMADY, E. M., and BROCK, R. B.: Temperature levels in hot-air ovens, 290
— *see also* BROCK, R. B., and DARMADY, E. M.
DAWSON, I. M. P., and CRAIG, W. S.: Nephrocalcinosis and hypercalcaemia in an infant, (P) 169
Deficiency theory of blast cell leukaemias, (P) 168
DENDAKI, C., *see* CHOREMIS, C., ZANNOS, L., and DENDAKI, C.
DIGGINS, F. W., and SANDERSON, P. H.: Determination of inulin by Little's method, 261
Disc technique, direct, for determining sensitivity to sulphonamides, 69
DISCOMBE, G.: Demonstration of basophilic stippling in erythrocytes, 75
— and JONES, R. F.: Routine production and storage of water of extreme purity (conductivity water), (P) 353
— and WINSTANLEY, D. P.: Estimation of γ-globulin, 106
— and NICKOL, K.: Myelosis involving the granulocytic and erythrocytic systems, 211
DIXON, T. F., and PURDOM, M.: Serum 5-nucleotidase, 341
DUGUID, H. L. D., *see* NAIRN, R. C., and DUGUID, H. L. D.
DUKES, C. E.: Pathology of ulcerative colitis, (P) 170
Dye-binding capacity of human plasma determined fluorimetrically, 336

E

EASTHAM, R. D.: Erythrocyte sedimentation rate and plasma viscosity, 164
— Serum viscosity and serum proteins, 66
EDINGTON, G. M., *see* LEHMANN, H., and EDINGTON, G. M.
Electric ovens, temperature levels in, 290
Electrophoresis, filter-paper, use and limitations of, 87, 106
— of heparin, 330
ELEK, S. D., and HILSON, G. R. F.: Combined agar diffusion and replica plating techniques in the study of antibacterial substances, 37
ELLIOTT, R. I. K.: Theca cell tumours of the ovary, (P) 352
ELLMAN, P., CUDKOWICZ, L., and ELWOOD, J. S.: Widespread serous membrane involvement by rheumatoid nodules, 239
ELWOOD, J. S., *see* ELLMAN, P., CUDKOWICZ, L., and ELWOOD, J. S.
EMERY, J. L., and GIBBS, N. M.: An incidence of miliary tubercles in bone marrow related to diagnostic needle biopsy, (P) 170
Encephalitis, acute haemorrhagic leuco-, 1
Endocardial fibroelastosis in epiloia, 137
Endometritis, tuberculous, bacteriological diagnosis of, 226
Endometrium, oxyuris granuloma of, 228
Enteric fever, streptokinase bile salt broth for clot cultures in, 50
Enterococci, bile-aesculin medium in identification of, 160
— Maxted's technique of Lancefield grouping, 160
Epiloia, structural features of, with special reference to endocardial fibroelastosis, 137
Erythrocyte diameters, measurement of, 76
— sedimentation rate and plasma viscosity, 164
Erythrocytes, demonstration of basophilic, stippling in, 75
Erythrocytic and granulocytic systems, myelosis involving, 211

F

Factor VII, haemorrhagic diathesis due to deficiency of, 29
— relationship to Russell's viper venom, 287
FAIRBROTHER, R. W., and RAO, A.: Direct disc technique for determining the sensitivity of organisms to the sulphonamides, 69
Familial incidence of sickle cell trait and Mediterranean anaemia, 201
Fast green method for staining red cells, 264
FERREIRA, H. P., *see* HAINES, M., FERREIRA, H. P., LAW, J. W., and MAY, A.
Fibrinogen and the slide coagulase test, 54
Fibrocystic disease of pancreas, serum antithrombin test in, (P) 168
Fibroelastosis, endocardial, in epiloia, 137
— of foetal heart, (P) 352
FILDES, J. E., *see* REES, V. H., FILDES, J. E., and LAURENCE, D. J. R.
Filter-paper electrophoresis, use and limitations of, 87, 106
Flame photometry, estimation of calcium by, 110
Fluorimetric determination of dye-binding capacity of human plasma, 336
FRANGLEN, G. T., *see* MARTIN, N. H., and FRANGLEN, G. T.
FREEMAN, T., *see* HUMBLE, J. G., ANDERSON, I., WHITE, J. C., and FREEMAN, T.
FULLERTON, J. M.: Myelofibrotic anaemia in Hodgkin's disease, (P) 168

G

Gall-bladder, argentaffin (Kultschitzky) cells in human, 318
Gas ovens, temperature levels in, 290
Giant-cell synovioma, malignant, of phalanx, 231
GIBBS, N. M., *see* EMERY, J. L., and GIBBS, N. M.
GILLILAND, I. C., and STANTON, E.: Protein and protein-bound polysaccharide abnormalities in the diagnosis of amyloid and allied disorders by paper electrophoresis, (P) 172
GITELSON, S., *see* KLEEBERG, J., and GITELSON, S.
γ-globulin, estimation of, 106
GOULD, J. C., *see* MACCABE, A. F., and GOULD, A. C.
Granulocytic and erythrocytic systems, myelosis involving, 211
Granuloma, cristobalite, (P) 170
— oxyuris, of endometrium, 228
Greek children, alkali-resistant haemoglobin in, 209
GREENBURY, C. L., and KENINGALE, J.: Wassermann reactions simplified, 73

H

Haematological control of risks from chronic irradiation, 267
Haemoglobin, affinity for oxygen in polycythaemia vera, 284
— alkali-resistant, in normal Greek children, 209
— C disease, sickle cell, (P) 171
— concentration, micro-haematocrit for, 32
— human, in health and disease, 175
— S and haemoglobin C, (P) 171
Haemoglobinuria, non-syphilitic cold, (P) 353
Haemolytic anaemia, specificity of auto-antibodies in acquired, 18
Haemophilia-like disease, acquired, 26
Haemorrhagic diathesis due to deficiency of Factor VII, 29
— leuco-encephalitis, acute, 1
HAINES, M., FERREIRA, H. P., LAW, J. W., and MAY, A.: Further experiences with male-toad pregnancy test using European species, 145
HARDISTY, R. M.: "Acquired haemophilia-like disease": report of a case with studies on the mode of action of the circulating anticoagulant, 26
HARE, R., *see* THOMAS, C. G. A., and HARE, R.
Heart failure, congestive, blood pyruvic acid level in, 116
— foetal, fibroelastosis of, (P) 352
Heparin, estimation by combined biological and colorimetric method, 330
— — in human blood and tissues, 330
HEWSTONE, A. S., *see* THOMAS, J. C., WATSON, K. C., and HEWSTONE, A. S.
HILSON, G. R. F., *see* ELEK, S. D., and HILSON, G. R. F.
Histology tissues, branding iron for marking, 84
Hodgkin's disease, myelofibrotic anaemia in, (P) 168
— — specific findings in bone-marrow punctures, (P) 353
HORLEY, J. F.: Fibroelastosis of the foetal heart, (P) 352
Hot-air ovens, temperature levels in, 290
HUMBLE, J. G., ANDERSON, I., WHITE, J. C., and FREEMAN, T.: Family illustrating double inheritance of the sickle cell trait and of Mediterranean anaemia, 201
HUNTER, R. B., *see* WALKER, W., and HUNTER, R. B.
HUTCHISON, H. E., LOWTHER, C. P., and ALEXANDER, W. D.: On the appearance in the marrow of iron administered intravenously, 281
HUTCHISON, J. G. P.: Antibiotic sensitivity tests: a rapid method suitable for multiple cultures, 350
HUTT, M. S. R., WETHERLEY-MEIN, G., and PINNIGER, J. L.: Nature and modes of presentation of myelofibrosis, (P) 353
Hypercalcaemia in an infant, (P) 169
Hypofibrinogenaemia, acquired, (P) 353
Hypopituitarism, secondary, and anorexia nervosa, 131

I

Inheritance of sickle cell trait and Mediterranean anaemia, 201
Intravenous iron, bone marrow of patients receiving, 281
Inulin, determination of, by Little's method, 261
Iron, appearance in bone marrow after intravenous administration, 281
Irradiation risks and their haematological control, 267

J

JENKINS, J. S.: Haemorrhagic diathesis due to deficiency of Factor VII, 29
— Thromboplastic activity of Russell's viper venom and its relationship to Factor VII, 287
JEWELL, P., and PEARMAIN, G. E. G.: Routine method for testing the sulphonamide sensitivity of organisms causing urinary infections, 308
JOHNSTONE, J. M.: Appearance and significance of tissue mast cells in human bone marrow, 275
JONES, R. F., *see* DISCOMBE, G., and JONES, R. F.
— *see* DISCOMBE, G., JONES, R. F., and WINSTANLEY, D. P.
JORDAN, A., *see* MCDONOUGH, S., and JORDAN, A.
Journal of Chemical Pathology, 356

K

KANE, P. O., *see* CAMPBELL, H., KANE, P. O., MUGGLETON, D. F., and COTTEWILL, I. G.
KENINGALE, J., *see* GREENBURY, C. L., and KENINGALE, J.
KENNEDY, A. C., *see* VALTIS, D. J., and KENNEDY, A. C.
Kidney, excretion of polyvinylpyrrolidone by normal human, 252
KIND, P. R. N., and KING, E. J.: Estimation of plasma phosphatase by determination of hydrolysed phenol with amino-antipyrine, 322
KING, E. J., *see* KIND, P. R. N., and KING, E. J.
KLEEBERG, J., and GITELSON, S.: Study of blood pyruvic acid level in patients with congestive heart failure, 116
Kultschitzky cells in human gall-bladder, 318
KURREIN, F.: Cerebral mucormycosis, 141

L

LACEY, B. W.: Carrier medium in pertussis diagnosis, (P) 174
LAINSON, R., *see* AWAD, F. I., and LAINSON, R.
LAJTHA, L. G., *see* BLACKBURN, E. K., and LAJTHA, L. G.
Lancefield grouping, Maxted's technique of, 160
LANGLEY, F. A.: "Sertoli" and "Leydig" cells, relation to ovarian tumours, 10
LAURENCE, D. J. R., *see* REES, V. H., FILDES, J. E., and LAURENCE, D. J. R.
LAW, J. W., *see* HAINES, M., FERREIRA, H. P., LAW, J. W., and MAY, A.
LEHMANN, H., and EDINGTON, G. M.: Haemoglobin S and haemoglobin C—a case with sickle cell haemoglobin C disease, (P) 171
LEMPERT, H.: Acquired hypofibrinogenaemia, (P) 353
Leucocytes, saline fragility of, (P) 168
Leuco-encephalitis, acute haemorrhagic, 1
Leukaemias, blast cell, deficiency theory of, (P) 168
Leydig cells in ovarian tumours, 10
Little's method for determination of inulin, 261
LLAURADO, J. G.: Simplified estimation of calcium in biological materials by flame photometry, 110
LODGE, K. V.: Clinico-pathological aspects of non-specific oesophagitis, (P) 352
LOWTHER, C. P., *see* HUTCHISON, H. E., LOWTHER, C. P., and ALEXANDER, W. D.

M

MACCABE, A. F., and GOULD, J. C.: Rapid isolation of *Mycobacterium tuberculosis* and simultaneous streptomycin sensitivity determination, 45
MCDONOUGH, S., and JORDAN, A.: Paper chromatography of urinary 17-ketosteroids, (P) 171
MACFARLANE, J. C. W.: Serum antithrombin test in fibrocystic disease of the pancreas, (P) 168
MCINROY, R. A.: A micro-haematocrit for determining the packed cell volume and haemoglobin concentration on capillary blood, 32
Male toad pregnancy test using European species, 145
Malignant cells in cerebrospinal fluid, 122
Marrow, *see* Bone marrow
MARTIN, N. H., and FRANGLEN, G. T.: Use and limitations of filter-paper electrophoresis, 87
Mast cells, tissue, in human bone marrow, 275
Maxted's technique of Lancefield grouping, 160
MAY, A., *see* HAINES, M., FERREIRA, H. P., LAW, J. W., and MAY, A.
Mediterranean anaemia and sickle cell trait, double inheritance of, 201
Micro-haematocrit for packed cell volume and haemoglobin concentration on capillary blood, 32
Miliary tubercles in bone marrow, (P) 170
— tuberculosis, bone marrow aspiration biopsy in, (P) 170
MOLE, R. H.: Risks from chronic irradiation and their haematological control, (P) 169, 267
MORTON, T. C.: Cristobalite granuloma, (P) 170
MOSS, D. G.: Estimation of butazolidin in blood, 344
Mucormycosis, cerebral, 141
MUGGLETON, D. F., *see* CAMPBELL, H., KANE, P. O., MUGGLETON, D. F., and COTTEWILL, I. G.
Mycobacterium tuberculosis, rapid isolation and simultaneous streptomycin sensitivity determination, 45
— — sensitivity of, to anti-tuberculous substances, (P) 352
Myelofibrosis, nature and modes of presentation of, (P) 353
Myelofibrotic anaemia in Hodgkin's disease, (P) 168
Myelosis involving the granulocytic and erythrocytic systems, 211

N

NABARRO, D. N., eightieth birthday of, 86
NAIRN, R. C., and DUGUID, H. L. D.: Oxyuris granuloma of the endometrium, 228
Nephrocalcinosis and hypercalcaemia in an infant, (P) 169
Neuropathology, Second International Congress of, 1955, 358
NICKOL, K., *see* DISCOMBE, G., and NICKOL, K.
Nitrogen, total, use of Conway micro-diffusion cell in estimation of, 81
Nodules, rheumatoid, widespread serous membrane involvement by, 239
NORDIN, B. E. C.: A calcium tolerance test, (P) 171
5-Nucleotidase, serum, 341

O

O'BRIEN, J. R.: Acquired coagulation defect in a woman, 22
— Non-reactive tuberculosis, 216
Oesophagitis, non-specific, clinico-pathological aspects of, (P) 352
OSBORN, G. R.: Pathology of a chronic infection with *Salm. typhimurium*, (P) 352
Ovarian tumours, Sertoli and Leydig cells in, 10
Ovary, theca cell tumours of, (P) 352
Ovens, hot-air, temperature levels in, 290
Oxygen dissociation in polycythaemia vera, 284
Oxyuris granuloma of the endometrium, 228

P

Packed cell volume, micro-haematocrit for, 32
Pancreas, serum antithrombin test in fibrocystic disease of, (P) 168
Paper chromatography, identification of barbiturate derivatives in blood by, 61
— — of urinary 17-ketosteroids, (P) 171
— — one-dimensional, quantitative determination of amino-acids in urine in conjunction with, 79
— electrophoresis of heparin, 330
PARKER, L.: Bacteriology and pathogenesis of brain abscess, (P) 173
Pasteurella septica, isolation of, from sputum in bronchiectasis, (P) 173
PATERSON, J. C. S., and WIGGINS, H. S.: Estimation of plasma vitamin A and the vitamin A absorption test, 56
PEARMAIN, G. E. G., *see* JEWELL, P., and PEARMAIN, G. E. G.
Pertussis diagnosis, carrier medium in, (P) 174
PESSELL, M. E. H., *see* SMITH, M. J. H., and PESSELL, M. E. H.
Phalanx, malignant giant-cell synovioma of, 231
Phenol, hydrolysed, determination with amino-antipyrine, 322
Phenylindanedione, mode of action of, 249
Phosphatase activity, serum acid and alkaline, determination with A.A.P., 245
— plasma, estimation by determination of hydrolysed phenol with amino-antipyrine, 322
PINNIGER, J. L., *see* HUTT, M. S. R., WETHERLEY-MEIN, G., and PINNIGER, J. L.
Pipettes, interchangeable throttling device for, 348
Plasma, albumin, determination of, 336
— dye-binding capacity of, determined fluorimetrically, 336
— phosphatase, estimation by determination of hydrolysed phenol with amino-antipyrine, 322
— viscosity and erythrocyte sedimentation rate, 164
— vitamin A, estimation of, 56
Pneumocystis carinii in interstitial plasmacellular pneumonia, (P) 169
Pneumonia, interstitial plasmacellular, *Pneumocystis carinii* in, (P) 169
Polycythaemia vera, effect of therapeutic radio-phosphorus on affinity of haemoglobin for oxygen in patients with, 284
— — oxygen transport by blood in, 284
Polysaccharide, protein-bound, in amyloid and allied disorders, (P) 172
Polyvinylpyrrolidone, excretion of, by normal human kidney, 252
POOLE, J. C. F.: Antibiotic sensitivity of the genus *Proteus*, 315
POWELL, M. E. A., and SMITH, M. J. H.: Determination of serum acid and alkaline phosphatase activity with 4-aminoantipyrine (A.A.P.), 245
Pregnancy test, male toad, 145
PRICE, C. H. G., and VALENTINE, J. C.: Malignant giant-cell synovioma of phalanx, 231
Protein and protein-bound polysaccharide abnormalities in amyloid and allied disorders, (P) 172
Proteins, serum, and serum viscosity, 66
Proteus, genus, antibiotic sensitivity of, 315
Proteus vulgaris infections, epidemiology of, (P) 173
PURDOM, M., *see* DIXON, T. F., and PURDOM, M.
Pyruvic acid, blood level in congestive heart failure, 116

R

Radio-phosphorus, effect on affinity of haemoglobin for oxygen in patients with polycythaemia vera, 284
RAO, A., *see* FAIRBROTHER, R. W., and RAO, A.
Red cells, fast green method for staining, 264
Reed–Sternberg cells in bone-marrow in Hodgkin's disease, (P) 351
REES, V. H., FILDES, J. E., and LAURENCE, D. J. R.: Dye-binding capacity of human plasma determined fluorimetrically and its relation to the determination of plasma albumin, 336
REILLY, L. V.: Sensitivity of *M. tuberculosis* to anti-tuberculous substances, (P) 352
Replica plating in study of antibiotics, 37
Rheumatoid nodules, widespread serous membrane involvement by, 239
RICHARDS, H. G. H., and RICHARDS, D. L.: Saline fragility of leucocytes, (P) 168
ROSCOE, M. H.: Endogenous creatinine clearance in normal subjects, 327
Russell's viper venom, relationship to Factor VII, 287
— — — thromboplastic activity of, 287

S

Saline fragility of leucocytes, (P) 168
Salmonella typhimurium, pathology of chronic infection with, (P) 352
SANDERSON, P. H., *see* DIGGINS, F. W., and SANDERSON, P. H.
Sarcosporidiosis, serology of, 152
Seasonal incidence of toxoplasma infection?, (P) 174
Sedimentation rate and plasma viscosity, 164
Sensitivity, antibiotic, of genus *Proteus*, 315
— sulphonamide, of organisms causing urinary infections, 308
Serous membrane involvement by rheumatoid nodules, 239
Sertoli cells in ovarian tumours, 10
Serum acid and alkaline phosphatase activity, determination with A.A.P., 245
— antithrombin test in fibrocystic disease of pancreas, (P) 168
— 5-nucleotidase, 341
— viscosity and serum proteins, 66
SHORT, E. I.: Estimation of total nitrogen using the Conway micro-diffusion cell, 81
Sickle cell haemoglobin C disease, (P) 171
— — trait and Mediterranean anaemia, double inheritance of, 201
Sjögren's syndrome, pathology of, (P) 170
Slide coagulase test, fibrinogen and the, 54
SMITH, D. C., and TOMPSETT, S. L.: Quantitative determination of amino-acids in urine used in conjunction with one-dimensional paper chromatography, 79
SMITH, M. J. H., and PESSELL, M. E. H.: Estimation of serum acid and alkaline phosphatase activity with 4-amino-antipyrine, (P) 171
— *see also* POWELL, M. E. A., and SMITH, M. J. H.
SPENCER, J. G. C.: Fibrinogen and the slide coagulase test, 54
SPRIGGS, A. I.: Malignant cells in cerebro-spinal fluid, 122
Sulphonamide sensitivity of organisms causing urinary infections, 308
Sulphonamides, direct disc technique for determining sensitivity of organisms to, 69
STANTON, E., *see* GILLILAND, I. C., and STANTON, E.
Staphylococcus resistant to five antibiotics, 148
Steatorrhoea, vitamin A absorption curve in, 56
STENDERUP, A.: Streptomycin-dependent variants of *Bact. coli* isolated from patients during treatment with streptomycin, 157
Sternal puncture, in patients undergoing intravenous iron therapy, 281
Stippling, basophilic, in erythrocytes, 75
Streptococci, Group D, bile-aesculin medium in identification of, 160
Streptococcus putridus, isolation of, 300
Streptokinase bile salt broth for clot cultures in diagnosis of enteric fever, 50
Streptomycin, *M. tuberculosis* sensitivity determination, 45
Streptomycin-dependent variants of *Bact. coli*, 157
Stypven, effect on tromexan plasma, 287
SWAN, A.: Use of a bile-aesculin medium and of Maxted's technique of Lancefield grouping in the identification of enterococci (Group D streptococci), 160
Synovioma, malignant giant-cell, of phalanx, 231

T

TALBOT, J. M.: Isolation of *Pasteurella septica* from the sputum in bronchiectasis, (P) 173
Temperature levels in hot-air ovens, 290
Theca cell tumours of ovary, (P) 352
THOMAS, C. G. A., and HARE, R.: Classification of anaerobic cocci and their isolation in normal human beings and pathological processes, 300
THOMAS, J. C., WATSON, K. C., and HEWSTONE, A. S.: Use of streptokinase bile salt broth for clot cultures in diagnosis of enteric fever, 50
Thromboplastic activity of Russell's viper venom and its relationship to Factor VII, 287
Throttling device, interchangeable, for pipettes, 348
Tissue mast cells in human bone marrow, 275
Toad, male, pregnancy test, 145
TOMPSETT, S. L., *see* SMITH, D. C., and TOMPSETT, S. L.
Toxoplasma infection, seasonal incidence of?, (P) 174
Toxoplasmosis, serology of, 152
Tromexan plasma, effect of stypven on, 287
Tubercle bacilli, rapid isolation and streptomycin sensitivity determination, 45
Tuberculosis, miliary, bone marrow aspiration biopsy in, (P) 170
— non-reactive, 216
Tuberculous endometritis, bacteriological diagnosis of, 226
TUCK, I. M.: Branding iron for marking histology tissues, 84
Typhoid fever, clot culture in, 305

U

Ulcerative colitis, pathology of, (P) 170
Urinary infections, sulphonamide sensitivity of organisms causing, 308
— 17-ketosteroids, paper chromatography of, (P) 171
Urine, quantitative determination of amino-acids in conjunction with one-dimensional paper chromatography, 79

V

VALENTINE, J. C, *see* PRICE, C. H. G., and VALENTINE, J. C.
VALTIS, D. J., and KENNEDY, A. C.: Effect of therapeutic radiophosphorus on affinity of haemoglobin for oxygen in patients with polycythaemia vera, 284
VARADI, S.: Hodgkin's specific findings in bone-marrow punctures, (P) 353
Viscosity, plasma, and erythrocyte sedimentation rate, 164
— serum, and serum proteins, 66
Vitamin A, absorption test, 56
— estimation of plasma level, 56
VOLLUM, R. L.: Bacteriological diagnosis of tuberculous endometritis, 226

W

WALKER, W., and HUNTER, R. B.: Mode of action of phenylindanedione, 249
Wassermann reactions, simplification of, 73
Water of extreme purity, production and storage of, (P) 353
WATSON, K. C.: Clot culture in typhoid fever, 305
— *see also* THOMAS, J. C., WATSON, K. C., and HEWSTONE, A. S.
WETHERLEY-MEIN, G., *see* HUTT, M. S. R., WETHERLEY-MEIN, G., and PINNIGER, J. L.
WHITE, J. C., and BEAVEN, G. H.: Review of the varieties of human haemoglobin in health and disease, 175
— *see also* HUMBLE, J. G., ANDERSON, I., WHITE, J. C., and FREEMAN, T.
WIGGINS, H. S., *see* PATERSON, J. C. S., and WIGGINS, H. S.
WILSON, R. R.: Case of anorexia nervosa with necropsy findings and a discussion of secondary hypopituitarism, 131
WINSTANLEY, D. P., *see* DISCOMBE, G., JONES, R. F., and WINSTANLEY, D. P.
WRIGHT, J. T.: Rapid method of identifying particular barbiturate derivatives in small samples of blood by paper chromatography, 60

X

XUEREB, G. P., and BEESLEY, R.: A fast green method for staining red cells, 264

Z

ZANNOS, L., *see* CHOREMIS, C., ZANNOS, L., and DENDAKI, C.

Printed in Great Britain by Fisher, Knight and Co., Ltd., The Gainsborough Press, St. Albans.

a.B.